

Corning® Stripettor® Pro Pipet Controller

Improved comfort and sample safety

CORNING

This light, ergonomic, motorized pipet controller is designed for use with glass and plastic serological pipets from 0.5 to 100 mL. Conveniently positioned switches change operating modes and speeds quickly to handle different liquid volumes and various viscosities. Aspirating and dispensing speed is controlled through the finger triggers.

When fully charged, the battery enables up to 6 hours of continuous use.

Features

- ▶ LCD display for continuous visualization of speed, modes, and battery status
- ▶ Well-positioned function buttons
- ▶ The speed can be set to one of 3 values for both HIGH and LOW value
- ▶ Comes with a universal power supply, 0.2 µm PTFE filter, a wall hanger, and a charging stand



Charging position



Rest position



Break position

Ordering Information

Products may not be available in all markets.



Corning Stripettor Pro Pipet Controller with charging stand



Hydrophobic PTFE filter



Colored nose pieces

Corning® Stripettor® Pro Pipet Controller

Cat. No.	Description
4999	Corning Stripettor Pro Pipet Controller, with 0.2 µm filter, wall hanger, universal charger with set of adapters, Li-ion battery, and charging stand

Accessories

Cat. No.	Description
4991	PTFE filter 0.2 µm (5/pk)
4992	PTFE filter 0.45 µm (5/pk)
4993	Silicone pipet holder
4947	Li-ion battery set
4995	Battery cover with wings
4996	Universal charger, 9V with set of adapters: EU, US, UK, AUS
4997	Set of 4 colored nose pieces (orange, yellow, green, red)
4998	Charging stand

Related Products

Corning Stripette® Serological Pipets, Individually Wrapped, Paper/Plastic Wrap

Cat. No.	Capacity (mL)	Graduations (mL)	Negative Graduations (mL)	Color Strip	Qty/Pk	Qty/Cs
4485	1	1/100	0.2	Yellow	50	1,000
4486	2	1/100	0.2	Green	50	1,000
4487	5	1/10	2.5	Blue	50	200
4488	10	1/10	3.0	Orange	50	200
4489	25	2/10	10.0	Red	25	200
4490	50	1/2	10.0	Purple	25	100
4491	100	1/1	N/A	Aqua	10	100

Warranty/Disclaimer: Unless otherwise specified, all products are for research use or general laboratory use only.* Not intended for use in diagnostic or therapeutic procedures. Not for use in humans. These products are not intended to mitigate the presence of microorganisms on surfaces or in the environment, where such organisms can be deleterious to humans or the environment. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications. *For a listing of US medical devices, regulatory classifications or specific information on claims, visit www.corning.com/resources.

Corning's products are not specifically designed and tested for diagnostic testing. Many Corning products, though not specific for diagnostic testing, can be used in the workflow and preparation of the test at the customers discretion. Customers may use these products to support their claims. We cannot make any claims or statements that our products are approved for diagnostic testing either directly or indirectly. The customer is responsible for any testing, validation, and/or regulatory submissions that may be required to support the safety and efficacy of their intended application.

CORNING

For additional product or technical information, visit www.corning.com/lifesciences or call 800.492.1110. Outside the United States, call +1.978.442.2200.